



City of Anaheim
Office of the City Clerk

200 S Anaheim Blvd Suite 217
Anaheim, CA 92805
(714) 765-5166 • fax (714) 765-4105
www.anaheim.net

Request for Public Records

- STEP 1: COMPLETE all fields on this form. This form is to facilitate and expedite the processing of your public records request. Describe identifiable records in the possession of the City; your request must be sufficiently focused and specific to allow the City to locate the requested record(s).
STEP 2: SUBMIT completed form by mail, fax, email or in person to Custodian of Records, Office of the City Clerk, 200 S. Anaheim Blvd. (714) 765-5166; landal@anaheim.net fax: (714) 765-4105
STEP 3: WAIT to receive an invoice for responsive records. The City shall determine within 10-days from receipt of a public records request, whether the request, in whole or in part, seeks copies of discloseable public records in possession of the City [GC 6253(c)]. Please note that if you are requesting the opportunity to inspect records, you will be requested to make an appointment to return at a later date/time to view the documents.

Charges for the direct cost of duplication will apply. Documents will not be copied until payment has been received. If payment is not received within 10 days after invoice is sent, you may be required to submit a new request. Please see backside for additional information.

REQUESTER INFORMATION

Full Name: Tara Llewellyn Date: 11/11/15 12:53 PM
Company Name: Partner Engineering and Sciences, Inc.
(Mailing) Address: City/State/Zip Code: 85016
Phone number: Email:
Preferred method of contact in the event of questions:
Email

DESCRIPTION OF REQUESTED RECORD(S): (Describe the specific public record(s) e.g., date, type, time period covering documents requested etc)

Partner Engineering and Science, Inc. is conducting a Phase I Environmental Site Assessment on the following properties: 3818 and 3830 East Coronado Street in Anaheim, California. As part of the investigation, we are requesting, under the Freedom of Information Act, any and all records you have for the above-referenced property pertaining to the following: Current or historical underground/aboveground storage tanks; hazardous materials use, storage, or release issues; any outstanding violations; and any documents (including the Closure Letter) relating to the Leaking Underground Storage Tank (LUST) Case #083000384T. According to the Geotracker system, the City of Anaheim was the lead agency. If you have any questions please feel free to contact me!

Sincerely,
Tara Llewellyn

I understand that I will be contacted once documents have been identified. If production of records is requested, an estimated cost will be provided to me and I agree that I will be required to submit payment for duplication costs (and mailing) prior to the production of the requested documents.

I wish to inspect City records Will Pick-Up Records [X] Please Mail

Electronically Signed/Submitted 11/11/15 12:53 PM

SIGNATURE OF REQUESTER